Headquarters U.S. Air Force

Integrity - Service - Excellence

Mode S Implementation



OVERALL BRIEFING CLASSIFICATION: UNCLASSIFIED

U.S. AIR FORCE



Mode S

- Mode S Capabilities
- Current Mode S Coverage
- European Mode S Requirements
- Sample Flight Plan




- Air surveillance upgrade to legacy Mode 3/A/C system
- Transponder provides digital air/air and air/ground datalink
- Improved accuracy and altitude resolution (down to 25')
- Reduced interference from closely spaced aircraft
- 5 levels of capability
 - 1: Basic capability with min features (not for ICAO)
 - 2: Elementary Surveillance (ELS) (minimum for ICAO)
 - 3: Enhanced Surveillance (EHS) (desired for ICAO)
 - 4/5: Extended datalink capabilities



- Each aircraft assigned a unique 24-bit "Aircraft Address"
 (AA)
 - RULE #1: No two aircraft should have the same AA!
 - "Default" address assigned to specific tail numbers
 - "Dynamic" address assigned only to military aircraft
 - Block of addresses to aid in day-to-day OPSEC
 - Distributed by DoD AIMS/PO to MAJCOMs
 - RULE #1 still applies!
- Each aircraft uses a unique 7-character "Aircraft ID" (a.k.a. Flight ID)
 - Flight Plan Callsign assigned to mission (i.e. EAGLE11)
 - What ATC controllers see on their screens
 - Allows for flight plan correlation to Mode S response







What information is being sent?


- **Elementary Surveillance**
- 1. Aircraft Address (AA)
- 2. Aircraft Identification (Callsign)
- 3. Mode 3/A Code
- 4. Transponder Capability Report
- 5. Active TCAS-II Resolution Report
- 6. Altitude
- 7. Flight Status (Air/Ground)

- Enhanced Surveillance (ELS Plus the following)
- 1. Mag Heading
- 2. Speed (IAS/TAS/Mach No)
- 3. Roll Angle
- 4. Track Angle Rate
- 5. Vertical Rate
- 6. True Track Angle
- 7. Ground Speed
- 8. Selected Flight Level (intentions)
- 9. Position Information



Current Mode S Coverage

U.S. AIR FORCE



Integrity - Service - Excellence




European Requirements

- Currently: UK, BE, NE, LUX, GE, SWISS
- EUROCONTROL Mandate of ELS was 31 Mar 07
 - "State" (i.e. Mil) aircraft by 31 Mar 09
 - Mandatory yearly equipage report sent by AF/A3O
- Applies to <u>Civil and Mil services</u> (i.e. GAT & OAT)
 - Also applies to both IFR & VFR flight
- EHS "required" only for MAF fleet
 - Includes E-3, E-4, and EC-130
 - CAF, ISR, and helicopters only require ELS
- Usage <u>requested</u> once equipped to verify ATM system (both aircraft & ground stations)



European Requirements

- Must annotate Flight Plan (1801) correctly
 - Flt Plan must match Mode S Aircraft ID (i.e. EAGLE 141)
 - 7 Characters
 - No spaces before or in between only after
 - Equipment code: /S
 - Mode S w/ Pressure Alt & Flight ID transmit



10 EQUIPMENT